

Sweet-acular



solutions for every taste

Blossom Water Gel

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™ -2W	5.00	Auto-Emulsifier
Phase C		
Preservative	a. n.	Preservative
Parfum	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 92, 10 rpm pH (100%)	5000 - 10000 cP 5.0 - 7.0	

Reference: TR 04-44-01A



Instructions:

1. Prepare phase A warming water up to 75 - 80°C;
2. Disperse phase B in the water phase using a suitable dispersion unit;
3. Homogenize for a few minutes;
4. Cool down under gentle stirring;
5. Add the ingredients of phase C below 40°C.

PolyAqual™ 2W

Notes:

*See-through texture featured by a strong 3D lamellar structure, lightweight and delicate in appearance.
Ideal for revitalizing the skin with a pleasant freshness sensation.*

Blossom Water Gel

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™ -2W	5.00	Auto-Emulsifier
Phase C		
Preservative	a. n.	Preservative
Parfum	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 92, 10 rpm pH (100%)	5000 - 10000 cP 5.0 - 7.0	

Reference: TR 04-44-01A



PolyAqual™ 2W
O/W Emulsifier



5% Emulsifier



95% Water



**Silicone-free
Green Formulation**

Blossom Water Gel

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	5.00	Auto-Emulsifier
Phase C		
Preservative	a. n.	Preservative
Parfum	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 92, 10 rpm pH (100%)	5000 - 10000 cP 5.0 - 7.0	

Reference: TR 04-44-01A



Key Features:

This is a very simple formulation containing only 2 ingredients: PolyAqual™-2W (5%) and water (95%).

PolyAqual™-2W has the special key feature to create a gel when added to hot water.

Even if this formulation is very easy-to make, it is endowed with clinical benefits (indeed it is the formulation we have used for all the clinical tests described in the presentation):

- Protective and reparative action on UV damaged skin;
- Ability to preserve and restore selectively the cutaneous microflora.

This formulation can be used as it is or as a base for more complex formulations with different texture.

GREEN FORMULATION

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Guava Smoothie

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
CI 14720 (0.5% water solution)	0.06	Dye
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	3.00	Emulsifier
Phase C		
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	1.00	Emollient
Phase D		
Propanediol, Psidium Guajava Leaf Extract, Saccharomyces Lysate Extract – Bioptimized™ Guava	1.00	Active Ingredient
Preservative	a.n.	Preservative
Parfum - Sweet Fig T1100293/01 (MANE)	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 03, 20 rpm pH (100%)	1000 - 3000 cP 5.0 - 7.0	



Reference: FD 17-34-05F

Instructions:

1. Prepare phase A and warm it up to 75 - 80°C;
2. Disperse phase B in the water phase using a suitable dispersion unit and then homogenize for a few minutes;
3. Add phase C to phase A+B and homogenize for a few minutes;
4. Cool down under gentle stirring;
5. Add the ingredients of phase D below 40°C.

PolyAqual™ 2W

Notes:

*Lightweight and milky texture featured by fluidity and smoothness.
Ideal serum for preventing the signs of aging.
It absorbs very quickly leaving a comfortable skin feel.*

Guava Smoothie

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
CI 14720 (0.5% water solution)	0.06	Dye
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	3.00	Emulsifier
Phase C		
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	1.00	Emollient
Phase D		
Propanediol, Psidium Guajava Leaf Extract, Saccharomyces Lysate Extract – Bioptimized™ Guava	1.00	Active Ingredient
Preservative	a.n.	Preservative
Parfum - Sweet Fig T1100293/01 (MANE)	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 03, 20 rpm pH (100%)	1000 - 3000 cP 5.0 - 7.0	



Reference: FD 17-34-05F

PolyAqual™ 2W
O/W Emulsifier



innollient™ LO
Dermo-emollient



Bioptimized™
Guava
Inflamm-aging protection



Low viscosity



Silicone-free
Green Formulation

Guava Smoothie

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
CI 14720 (0.5% water solution)	0.06	Dye
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	3.00	Emulsifier
Phase C		
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	1.00	Emollient
Phase D		
Propanediol, Psidium Guajava Leaf Extract, Saccharomyces Lysate Extract – Bioptimized™ Guava	1.00	Active Ingredient
Preservative	a.n.	Preservative
Parfum - Sweet Fig T1100293/01 (MANE)	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 03, 20 rpm pH (100%)	1000 - 3000 cP 5.0 - 7.0	



Reference: FD 17-34-05F

Key Features:

Very simple formulation containing few ingredients, endowed with a silky, smooth texture.

PolyAqual™-2W is added in the water phase and very low viscosity is reached.

It's worth highlighting how the formulation's texture is improved just by using a single emollient, **innollient™ LO**, in terms of spreadability and smoothness.

The active ingredient **Bioptimized™ Guava** acts as a "detox system", inhibiting the production of that pro-inflammatory factors involved in skin toxification and deterioration.

GREEN FORMULATION

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Green Apple Yogurt

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
CI 47005 (0.1% water solution)	0.50	Dye
CI 42051 (0.1% water solution)	0.12	Dye
CI 14720 (0.5% water solution)	0.01	Dye
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Phase A₂		
Xanthan Gum	0.30	Thickener
Tapioca Starch	0.50	Thickener
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	3.00	Emulsifier
Cetearyl Alcohol	1.00	Consistency Agent
Dicaprylyl Ether	4.00	Emollient
Coco-Caprylate	2.00	Emollient
Isoamyl Laurate	2.50	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	2.00	Emollient
Theobroma Cacao (Cocoa) Seed Butter	0.50	Emollient
Lecithin, Tocopherol, Ascorbyl Palmitate, Citric Acid	0.01	Antioxidant
Phase C		
Glycerin, Water, Laminaria Saccharina Extract - Regenesea™ LS	1.30	Active Ingredient
Propanediol, Psidium Guajava Leaf Extract - Biooptimized™ Guava	0.70	Active Ingredient
Preservative	a.n.	Preservative
Parfum - Starry Apple E18C7200 (MANE)	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 93, 10 rpm pH (100%)	10000 - 20000 cP 5.0 - 7.0	

Reference: FD 26-01-06H



Instructions:

1. Prepare phase A₁ and phase B separately and warm them up to 75°C;
2. Disperse the ingredients of phase A₂ in phase A₁ using a suitable dispersion unit;
3. Add phase B to phase A₁+A₂ and homogenize for a few minutes;
4. Cool down under gentle stirring;
5. Add the ingredients of phase C, below 40°C.

PolyAqual™ 2W

Notes:

Easy-to-spread texture featured by silky glide and delicate touch.

Ideal for getting supple skin with a pleasant afterfeel. It is a total anti-aging regimen.

Green Apple Yogurt

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
CI 47005 (0.1% water solution)	0.50	Dye
CI 42051 (0.1% water solution)	0.12	Dye
CI 14720 (0.5% water solution)	0.01	Dye
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Phase A₂		
Xanthan Gum	0.30	Thickener
Tapioca Starch	0.50	Thickener
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	3.00	Emulsifier
Cetearyl Alcohol	1.00	Consistency Agent
Dicaprylyl Ether	4.00	Emollient
Coco-Caprylate	2.00	Emollient
Isoamyl Laurate	2.50	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	2.00	Emollient
Theobroma Cacao (Cocoa) Seed Butter	0.50	Emollient
Lecithin, Tocopherol, Ascorbyl Palmitate, Citric Acid	0.01	Antioxidant
Phase C		
Glycerin, Water, Laminaria Saccharina Extract - Regenesea™ LS	1.30	Active Ingredient
Propanediol, Psidium Guajava Leaf Extract - Bioptimized™ Guava	0.70	Active Ingredient
Saccharomyces Lysate		
Preservative	a.n.	Preservative
Parfum - Starry Apple E18C7200 (MANE)	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 93, 10 rpm pH (100%)	10000 - 20000 cP 5.0 - 7.0	

Reference: FD 26-01-06H



PolyAqual™ 2W
O/W Emulsifier



innollient™ LO
Dermo-emollient



ReGENESESEA™ LS
Inflamm-aging protection



Bioptimized™
Guava
Chrono-aging protection



Medium viscosity



Silicone-free
Green Formulation

Green Apple Yogurt

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
CI 47005 (0.1% water solution)	0.50	Dye
CI 42051 (0.1% water solution)	0.12	Dye
CI 14720 (0.5% water solution)	0.01	Dye
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Phase A₂		
Xanthan Gum	0.30	Thickener
Tapioca Starch	0.50	Thickener
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	3.00	Emulsifier
Cetearyl Alcohol	1.00	Consistency Agent
Dicaprylyl Ether	4.00	Emollient
Coco-Caprylate	2.00	Emollient
Isoamyl Laurate	2.50	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	2.00	Emollient
Theobroma Cacao (Cocoa) Seed Butter	0.50	Emollient
Lecithin, Tocopherol, Ascorbyl Palmitate, Citric Acid	0.01	Antioxidant
Phase C		
Glycerin, Water, Laminaria Saccharina Extract - Regenesea™ LS	1.30	Active Ingredient
Propanediol, Psidium Guajava Leaf Extract - Biooptimized™ Guava	0.70	Active Ingredient
Preservative	a.n.	Preservative
Parfum - Starry Apple E18C7200 (MANE)	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 93, 10 rpm pH (100%)	10000 - 20000 cP 5.0 - 7.0	

Reference: FD 26-01-06H



Key Features:

O/W emulsion of medium viscosity in which **PolyAqual™-2W** is added to the oil phase.

This formulation features a silky glide and high spreadability, thanks to the presence of **innollient™ LO**, that is a natural alternative to silicones.

The synergistic effect of **Biooptimized™ Guava** and **Regenesea™ LS** allows to target aging processes, preventing and treating them. **Biooptimized™ Guava** and **Regenesea™ LS** work with different and complementary pathways.

Biooptimized™ Guava targets skin senescence; it slows down the causes of aging, not just the effects. It acts as a "detox system", inhibiting the production of that pro-inflammatory factors involved in skin tossification and deterioration.

Regenesea™ LS reverses the effects of aging, making cells behave like when they were young.

This formulation is a total anti-aging regimen.

GREEN FORMULATION

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Ribes Butter Cream

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
CI 42051 (0.1% water solution)	0.63	Dye
CI 14720 (0.5% water solution)	0.37	Dye
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	5.00	Emulsifier
Cetearyl Alcohol	4.00	Consistency Agent
Cetyl Ricinoleate	2.00	Consistency Agent
Stearyl Stearate, Oleyl Oleate, Polyhydroxystearic Acid - innollient™ SB	5.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	5.50	Emollient
Dicaprylyl Carbonate	4.00	Emollient
Decyl Cocoate	2.29	Emollient
Coco-Caprylate	3.00	Emollient
Oleyl Erucate	1.50	Emollient
Orbignya Oleifera Seed Oil	2.00	Emollient
Theobroma Cacao (Cocoa) Seed Butter	5.00	Emollient
Lecithin, Tocopherol, Ascorbyl Palmitate, Citric Acid	0.01	Antioxidant
Phase C		
Ribes Nigrum (Black Currant) Seed Oil, Octyldodecanol, Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Paeonia Suffruticosa Root Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract - Activoil™ Spotless ZRO	0.50	Active Ingredient
Phase D		
Preservative	a. n.	Preservative
Parfum - Pink Marshmallow E23105175 (MANE)	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 94, 10 rpm pH (100%)	70000 - 90000 cP 5.0 - 7.0	

Reference: FD 17-64-01B



Instructions:

1. Prepare phase A and phase B separately and warm them up to 75°C;
1. Add phase B to phase A and homogenize for a few minutes;
2. Add phases C to 50 - 60°C and continue to homogenize;
3. Cool down to 40°C under gentle stirring;
4. Add the ingredients of phase D in the given order and stir slowly.

PolyAqual™ 2W

Notes:

Nourishing texture featured by softness and cushioning effect.
Thanks to its film-forming effect, it is ideal for combining a rich hydration with a lightweight feeling.

Ribes Butter Cream

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
CI 42051 (0.1% water solution)	0.63	Dye
CI 14720 (0.5% water solution)	0.37	Dye
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	5.00	Emulsifier
Cetearyl Alcohol	4.00	Consistency Agent
Cetyl Ricinoleate	2.00	Consistency Agent
Stearyl Stearate, Oleyl Oleate, Polyhydroxystearic Acid - innollient™ SB	5.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	5.50	Emollient
Dicaprylyl Carbonate	4.00	Emollient
Decyl Cocoate	2.29	Emollient
Coco-Caprylate	3.00	Emollient
Oleyl Erucate	1.50	Emollient
Orbignya Oleifera Seed Oil	2.00	Emollient
Theobroma Cacao (Cocoa) Seed Butter	5.00	Emollient
Lecithin, Tocopherol, Ascorbyl Palmitate, Citric Acid	0.01	Antioxidant
Phase C		
Ribes Nigrum (Black Currant) Seed Oil, Octyldodecanol, Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Paeonia Suffruticosa Root Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract - Activoil™ Spotless ZRO	0.50	Active Ingredient
Phase D		
Preservative	a. n.	Preservative
Parfum - Pink Marshmallow E23105175 (MANE)	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 94, 10 rpm pH (100%)	70000 - 90000 cP 5.0 - 7.0	

Reference: FD 17-64-01B



PolyAqual™ 2W
O/W Emulsifier



innollient™ LO
Dermo-emollient



innollient™ SB
Sensorial Butter



Activoil™ Spotless ZRO
Skin luminescence / age spots



High viscosity



40% lipid phase



Silicone-free

Green Formulation

Ribes Butter Cream

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
CI 42051 (0.1% water solution)	0.63	Dye
CI 14720 (0.5% water solution)	0.37	Dye
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	5.00	Emulsifier
Cetearyl Alcohol	4.00	Consistency Agent
Cetyl Ricinoleate	2.00	Consistency Agent
Stearyl Stearate, Oleyl Oleate, Polyhydroxystearic Acid - innollient™ SB	5.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	5.50	Emollient
Dicaprylyl Carbonate	4.00	Emollient
Decyl Cocoate	2.29	Emollient
Coco-Caprylate	3.00	Emollient
Oleyl Erucate	1.50	Emollient
Orbignya Oleifera Seed Oil	2.00	Emollient
Theobroma Cacao (Cocoa) Seed Butter	5.00	Emollient
Lecithin, Tocopherol, Ascorbyl Palmitate, Citric Acid	0.01	Antioxidant
Phase C		
Ribes Nigrum (Black Currant) Seed Oil, Octyldodecanol, Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Paeonia Suffruticosa Root Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract - Activoil™ Spotless ZRO	0.50	Active Ingredient
Phase D		
Preservative	a. n.	Preservative
Parfum - Pink Marshmallow E23105175 (MANE)	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 94, 10 rpm pH (100%)	70000 - 90000 cP 5.0 - 7.0	



Reference: FD 17-64-01B

Key Features:

Ribes Butter Cream acts as a shield to protect and repair the skin.

It is a butter (viscous formulation), with a rich and nourishing lipid phase that reaches 40% of the formulation. **PolyAqual™-2W** is able to emulsify up to 40% of oil phase, without the help of rheological modifiers.

innollient™ SB contributes to a soft texture and a film forming effect.

Even if it is silicone free, it has a light skin feel, also thanks to the presence of **innollient™ LO**.

The active ingredient **Activoil™ Spotless ZRO** helps to reduce dark spots and promote a bright complexion.

GREEN FORMULATION

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Lemon Jelly

Ingredients:

INCI NAME	%	Function
Phase A		
Glycerin	30.00	Humectant
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	2.50	Emulsifier
Polyglyceryl-4 Laurate, Polyglyceryl-6 Laurate - PolyAqual™-LW	2.50	Emulsifier
Phase C		
Olea Europea (Olive) Oil	30.55	Emollient
Simmondsia Chinensis (Jojoba) Seed Oil	32.10	Emollient
Lecithin, Tocopherol, Ascorbyl Palmitate, Citric Acid	0.05	Antioxidant
Phase D		
Water (Aqua)	1.60	
Phase E		
Raphanus Sativus (Radish) Seed Extract, Octyldodecyl Oleate, Octyldodecanol, Magnolia Officinalis Bark Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract - Activoil™ Kerox-Pro™	0.50	Active Ingredient
Parfum	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 93, 10 rpm pH (100%)	35000 - 50000 cP 5.0 - 7.0	



Reference: TR 04-127-02D3

Instructions:

1. Prepare phase A and warm it up to 75 – 80 °C;
2. Add the ingredients of phase B to phase A one at a time and disperse them using a suitable dispersion unit;
3. Warm phase C up to 60 – 65 °C;
4. Add phase C to phase A+B under agitation;
5. Warm phase D up to 70°C;
6. Add phase D (70°C) in phase A+B+C (temperature is approx. 60°C) under agitation;
7. Cool down up to 40 °C under gentle agitation;
8. Homogenize for a few minutes;
9. Add the ingredients of phase E to phase A+B+C+D and continue to homogenize.

PolyAqual™ 2W
PolyAqual™ LW

Notes:

Translucent gel texture featured by a surprising, transforming effect: it looks like an oily gel and finally turns into a milk with the addition of water. When rinsed off, it provides a soft complexion.

Lemon Jelly

Ingredients:

INCI NAME	%	Function
Phase A		
Glycerin	30.00	Humectant
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	2.50	Emulsifier
Polyglyceryl-4 Laurate, Polyglyceryl-6 Laurate - PolyAqual™-LW	2.50	Emulsifier
Phase C		
Olea Europea (Olive) Oil	30.55	Emollient
Simmondsia Chinensis (Jojoba) Seed Oil	32.10	Emollient
Lecithin, Tocopherol, Ascorbyl Palmitate, Citric Acid	0.05	Antioxidant
Phase D		
Water (Aqua)	1.60	
Phase E		
Raphanus Sativus (Radish) Seed Extract, Octyldodecyl Oleate, Octyldodecanol, Magnolia Officinalis Bark Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract - Activoil™ Kerox-Pro™	0.50	Active Ingredient
Parfum	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 93, 10 rpm pH (100%)	35000 - 50000 cP 5.0 - 7.0	



Reference: TR 04-127-02D3

PolyAqual™ LW
O/W Emulsifier



PolyAqual™ 2W
O/W Emulsifier



Activoil™ Kerox-Pro™
Eyelash / Hair Shield



TRANSFORMING TEXTURE



65% lipid phase

Preservative Free
Water activity $a_w = 0.35$



**Silicone-free
Green Formulation**

Lemon Jelly

Ingredients:

INCI NAME	%	Function
Phase A		
Glycerin	30.00	Humectant
Phase B		
Polyglyceryl-2 Stearate, Glyceryl Stearate, Stearyl Alcohol - PolyAqual™-2W	2.50	Emulsifier
Polyglyceryl-4 Laurate, Polyglyceryl-6 Laurate - PolyAqual™-LW	2.50	Emulsifier
Phase C		
Olea Europea (Olive) Oil	30.55	Emollient
Simmondsia Chinensis (Jojoba) Seed Oil	32.10	Emollient
Lecithin, Tocopherol, Ascorbyl Palmitate, Citric Acid	0.05	Antioxidant
Phase D		
Water (Aqua)	1.60	
Phase E		
Raphanus Sativus (Radish) Seed Extract, Octyldodecyl Oleate, Octyldodecanol, Magnolia Officinalis Bark Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract - Activoil™ Kerox-Pro™	0.50	Active Ingredient
Parfum	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 93, 10 rpm pH (100%)	35000 - 50000 cP 5.0 - 7.0	



Reference: TR 04-127-02D3

Key Features:

Transforming texture: it looks like an oily gel when applied on the skin, being able to dissolve impurities and make-up, and finally turns into a milk with the addition of water. When rinsed off, it provides a soft complexion.

Actually, it is an O/W emulsion with a high amount of lipid phase (65%), supported by **PolyAqual™-2W** and **PolyAqual™-LW**, with no need of any rheological modifiers.

The presence of PolyAqual™-2W makes the formulation very stable, while PolyAqual™-LW allows to keep low-medium viscosity and increase rinsing.

Activoil™ Kerox-Pro™ helps to protect eyelashes and eyebrows.

GREEN FORMULATION

Preservative free

Water activity aW=0.35 (According to ISO 29621, the possibility of microbial proliferation is non-existent in formulations that have water activity level lower than 0.7).

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Lemon Jelly

STEP 1

A) Apply the moisturizing balm;



B) Gently massage your skin;



...a transforming texture!

STEP 2

C) Add water;



D) Enjoy the transformation from balm to milk!



Papaya Juice

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Phase A₂		
Water (Aqua)	20.00	
Phase B		
Polyglyceryl-4 Laurate, Polyglyceryl-6 Laurate - PolyAqual™-LW	5.00	Emulsifier
Dicaprylyl Ether	1.00	Emollient
Phenoxyethanol, Ethylhexylglycerin	a. n.	Preservative
Phase C		
Glycerin, Water, Phyllostachys Pubescens Meristem Cell Lysate - Plant C-Stem™ Bamboo	1.00	Active Ingredient
Phase D		
Polysorbate 20	a. n.	Solubilizer
Parfum - Papaya & Palm Leaf M0062293 (MANE)	a. n.	Parfum
Phase E		
CI 19140 (0.5% water solution)	0.19	Dye
CI 16255 (0.5% water solution)	0.19	Dye
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 03, 20 rpm pH (100%)	200 - 300 cP 5.0 - 7.0	

Reference: FD 25-41-01B2



Instructions:

1. Prepare phase B and stir it at room temperature until it is homogenous;
2. Add phase A₂ to phase B, very slowly, under agitation;
3. Add phase A₁ under gentle stirring;
4. Add phases C, D, and E under gentle stirring.

PolyAqual™ LW

Notes:

*Delicate texture featured by fluidity, evanescence and translucence.
Ideal for protecting the hair from aging and reducing hair loss.*

Papaya Juice

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Phase A₂		
Water (Aqua)	20.00	
Phase B		
Polyglyceryl-4 Laurate, Polyglyceryl-6 Laurate - PolyAqual™-LW	5.00	Emulsifier
Dicaprylyl Ether	1.00	Emollient
Phenoxyethanol, Ethylhexylglycerin	a. n.	Preservative
Phase C		
Glycerin, Water, Phyllostachys Pubescens Meristem Cell Lysate - Plant C-Stem™ Bamboo	1.00	Active Ingredient
Phase D		
Polysorbate 20	a. n.	Solubilizer
Parfum - Papaya & Palm Leaf M0062293 (MANE)	a. n.	Parfum
Phase E		
CI 19140 (0.5% water solution)	0.19	Dye
CI 16255 (0.5% water solution)	0.19	Dye
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 03, 20 rpm pH (100%)	200 - 300 cP 5.0 - 7.0	

Reference: FD 25-41-01B2




PolyAqual™ LW
O/W Emulsifier



Plant C-Stem™
Bamboo
Hair Food



Low energy
No homogenization



Super fluid emulsion
200 cP



Silicone-free
Green Formulation

Papaya Juice

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Phase A₂		
Water (Aqua)	20.00	
Phase B		
Polyglyceryl-4 Laurate, Polyglyceryl-6 Laurate - PolyAqual™-LW	5.00	Emulsifier
Dicaprylyl Ether	1.00	Emollient
Phenoxyethanol, Ethylhexylglycerin	a. n.	Preservative
Phase C		
Glycerin, Water, Phyllostachys Pubescens Meristem Cell Lysate - Plant C-Stem™ Bamboo	1.00	Active Ingredient
Phase D		
Polysorbate 20	a. n.	Solubilizer
Parfum - Papaya & Palm Leaf M0062293 (MANE)	a. n.	Parfum
Phase E		
CI 19140 (0.5% water solution)	0.19	Dye
CI 16255 (0.5% water solution)	0.19	Dye
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 03, 20 rpm pH (100%)	200 - 300 cP 5.0 - 7.0	



Reference: FD 25-41-01B2

Key Features:

OW lotion with very low viscosity and water sensation (low amount of oil), created by **PolyAqual™-LW**.

This kind of formulation can be obtained with a low energy method, without using homogenizer, with a Phase Inversion Temperature process (P.I.T process) or Phase Inversion Concentration process (P.I.C process), with a single cold step.

Plant C-Stem™ Bamboo helps in reducing seasonal hair loss and in increasing hair number (hair density).

P.I.C. process

GREEN FORMULATION

COLD PROCESS

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Almond Milk

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
Phase A₂		
Sodium Polyacrylate	0.30	Thickener
Phase B		
Polyglyceryl-4 Laurate, Polyglyceryl-6 Laurate - PolyAqual™-LW	3.00	Emulsifier
Oryza Sativa (Rice) Bran Oil	2.50	Emollient
Prunus Amygdalus Dulcis (Sweet Almond) Oil	2.50	Emollient
Caprylic/Capric Triglyceride	3.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	2.00	Emollient
Phase C		
Preservative	a. n.	Preservative
Parfum	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 03, 20 rpm pH (100%)	1200 - 1800 cP 5.0 - 7.0	

Reference: TR 52-11-01E3



Instructions:

1. Prepare phase A₁ and phase B separately and stir them at room temperature (25 - 30°C);
2. Disperse phase A₂ in phase A₁ using a suitable dispersion unit;
3. Add phase B to phase A₁+A₂ and homogenize for a few minutes;
4. Add the ingredients of phase C under gentle stirring.

PolyAqual™ LW

Notes:

Milky texture featured by breathability, fluidity and smoothness.
Ideal for making skin soft and smooth, just like after a milk bath.
Excellent protection from drying out.

Almond Milk

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
Phase A₂		
Sodium Polyacrylate	0.30	Thickener
Phase B		
Polyglyceryl-4 Laurate, Polyglyceryl-6 Laurate - PolyAqual™-LW	3.00	Emulsifier
Oryza Sativa (Rice) Bran Oil	2.50	Emollient
Prunus Amygdalus Dulcis (Sweet Almond) Oil	2.50	Emollient
Caprylic/Capric Triglyceride	3.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	2.00	Emollient
Phase C		
Preservative	a. n.	Preservative
Parfum	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 03, 20 rpm pH (100%)	1200 - 1800 cP 5.0 - 7.0	



Reference: TR 52-11-01E3

PolyAqual™ LW
O/W Emulsifier



innollient™ LO
Dermo-emollient



Low viscosity
1500 cP



Silicone-free

Almond Milk

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Glycerin	3.00	Humectant
Phase A₂		
Sodium Polyacrylate	0.30	Thickener
Phase B		
Polyglyceryl-4 Laurate, Polyglyceryl-6 Laurate - PolyAqual™-LW	3.00	Emulsifier
Oryza Sativa (Rice) Bran Oil	2.50	Emollient
Prunus Amygdalus Dulcis (Sweet Almond) Oil	2.50	Emollient
Caprylic/Capric Triglyceride	3.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	2.00	Emollient
Phase C		
Preservative	a. n.	Preservative
Parfum	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 03, 20 rpm pH (100%)	1200 - 1800 cP 5.0 - 7.0	



Reference: TR 52-11-01E3

Key Features:

Milky emulsion created by **PolyAqual™-LW**.

The key feature of PolyAqual™-LW resides in its ability to create low viscosity emulsions in a cold environment.

PolyAqual™-LW, at 3%, is added to the oil phase, in the presence of a rheological modifier in the water phase.

innollient™ LO guarantees high spreadability.

COLD PROCESS

SILICONE FREE

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Whipped Cream

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	5.00	Humectant
Magnesium Sulfate	1.00	Stabilizing Agent
Glycerin, Water, Laminaria Saccharina Extract - Regenesea™ LS	1.30	Active Ingredient
Propanediol, Psidium Guajava Leaf Extract, Saccharomyces Lysate Extract - Biooptimized™ Guava	0.70	Active Ingredient
Preservative	a. n.	Preservative
Phase B		
Polyglyceryl-2 Oleate, Polyhydroxystearic Acid, Polyglyceryl-2 Stearate - PolyAqual™-OS2	4.50	Emulsifier
Persea Gratissima (Avocado) Oil	2.00	Emollient
Dicaprylyl Ether	8.50	Emollient
Dicaprylyl Carbonate	8.50	Emollient
Stearyl Stearate, Oleyl Oleate, Polyhydroxystearic Acid - Innollient™ SB	1.00	Emollient
Magnesium Stearate	1.00	Lipophilic Gelling Agent
Zinc Stearate	1.00	Lipophilic Gelling Agent
Phase C		
Tapioca Starch	2.00	Sensorial Modifier
Phase D		
Parfum - Delightful Love E21149052 (MANE)	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 92, 10 rpm	15000 - 25000 cP	

Reference: FD 19-16-01G7A



Instructions:

1. Prepare phase A and phase B separately and stir them at room temperature (25 - 30°C);
2. Add phase A to phase B under agitation and homogenize for a few minutes;
3. Add phase C and phase D under gentle stirring.

PolyAqual™ OS2

Notes:

Soft texture featured by creamy and fluffy consistency.

Ideal to caress and bring comfort to the skin in the most natural way.

Whipped Cream

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	5.00	Humectant
Magnesium Sulfate	1.00	Stabilizing Agent
Glycerin, Water, Laminaria Saccharina Extract - Regenesea™ LS	1.30	Active Ingredient
Propanediol, Psidium Guajava Leaf Extract, Saccharomyces Lysate Extract - Bioptimized™ Guava	0.70	Active Ingredient
Preservative	a. n.	Preservative
Phase B		
Polyglyceryl-2 Oleate, Polyhydroxystearic Acid, Polyglyceryl-2 Stearate - PolyAqual™-OS2	4.50	Emulsifier
Persea Gratissima (Avocado) Oil	2.00	Emollient
Dicaprylyl Ether	8.50	Emollient
Dicaprylyl Carbonate	8.50	Emollient
Stearyl Stearate, Oleyl Oleate, Polyhydroxystearic Acid - Innollient™ SB	1.00	Emollient
Magnesium Stearate	1.00	Lipophilic Gelling Agent
Zinc Stearate	1.00	Lipophilic Gelling Agent
Phase C		
Tapioca Starch	2.00	Sensorial Modifier
Phase D		
Parfum - Delightful Love E21149052 (MANE)	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 92, 10 rpm	15000 - 25000 cP	



Reference: FD 19-16-01G7A

PolyAqual™ OS2
W/O Emulsifier



innollient™ SB
Sensorial Butter



ReGENESEa™ LS
Inflamm-aging protection



Bioptimized™
Guava
Chrono-aging protection



Whipped Cream

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	5.00	Humectant
Magnesium Sulfate	1.00	Stabilizing Agent
Glycerin, Water, Laminaria Saccharina Extract - Regenesea™ LS	1.30	Active Ingredient
Propanediol, Psidium Guajava Leaf Extract, Saccharomyces Lysate Extract - Biooptimized™ Guava	0.70	Active Ingredient
Preservative	a. n.	Preservative
Phase B		
Polyglyceryl-2 Oleate, Polyhydroxystearic Acid, Polyglyceryl-2 Stearate - PolyAqual™-OS2	4.50	Emulsifier
Persea Gratissima (Avocado) Oil	2.00	Emollient
Dicaprylyl Ether	8.50	Emollient
Dicaprylyl Carbonate	8.50	Emollient
Stearyl Stearate, Oleyl Oleate, Polyhydroxystearic Acid - Innollient™ SB	1.00	Emollient
Magnesium Stearate	1.00	Lipophilic Gelling Agent
Zinc Stearate	1.00	Lipophilic Gelling Agent
Phase C		
Tapioca Starch	2.00	Sensorial Modifier
Phase D		
Parfum - Delightful Love E21149052 (MANE)	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 92, 10 rpm	15000 - 25000 cP	



Key Features:

Enchanting texture featured by light and pleasant consistency, created by **PolyAqual™-OS2**.

Innollient™ SB provides long-lasting and film-forming effect.

Biooptimized™ Guava and **Regenesea™ LS** complete the formulation with a synergistic anti-aging efficacy.

The formula counteracts both the causes (skin senescence) and the effects of aging (roughness and loss of elasticity).

COLD PROCESS

GREEN FORMULATION


The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Cherry Chocolate

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	9.00	
Pentylene Glycol, Glyceryl Caprylate, Glyceryl Undecylenate	1.60	Natural Alternative Preservative
Phase A₂		
Sodium Hyaluronate	0.20	Active Ingredient
Phase B₁		
Synthetic Wax, Copernicia Cerifera (Carnauba) Cera	12.50	Consistency Agent
Phase B₂		
Polyglyceryl-2 Oleate, Polyhydroxystearic Acid, Polyglyceryl-2 Stearate - PolyAqual™-OS2	16.00	Emulsifier - Dispersing Agent
Paraffinum Liquidum	10.00	Emollient
Ethylhexyl Palmitate	9.00	Emollient
Triheptanoin	9.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	10.00	Emollient - Dispersing Agent
Silica	2.00	Lipophilic Gelling Agent
Tocopherol, Helianthus Annus Seed Oil	0.20	Antioxidant
Phase B₃		
CI 15850	20.00	Pigment
Phase C		
Aroma	0.50	Parfum

Reference: 34HSL001



Instructions:

1. Prepare phase A₁ and warm it up to 50°C;
2. Disperse phase A₂ in phase A₁ using a suitable dispersion unit;
3. Melt phase B₁ at 80°C;
4. Add the ingredients of phase B₂ to B₁, under gentle stirring;
5. Add phase B₃ to phase B₁+B₂, under gentle stirring;
6. Cool down to 45°C, add phase A to phase B and homogenize for a few minutes;
7. Add phase C under gentle stirring.

Notes:

*Dense texture that becomes creamy on the lips, leaving a velvety sensation.
Ideal for bringing hydration and resiliency to your lips.*


PolyAqual™ OS2

Cherry Chocolate

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	9.00	
Pentylene Glycol, Glyceryl Caprylate, Glyceryl Undecylenate	1.60	Natural Alternative Preservative
Phase A₂		
Sodium Hyaluronate	0.20	Active Ingredient
Phase B₁		
Synthetic Wax, Copernicia Cerifera (Carnauba) Cera	12.50	Consistency Agent
Phase B₂		
Polyglyceryl-2 Oleate, Polyhydroxystearic Acid, Polyglyceryl-2 Stearate - PolyAqual™-OS2	16.00	Emulsifier - Dispersing Agent
Paraffinum Liquidum	10.00	Emollient
Ethylhexyl Palmitate	9.00	Emollient
Triheptanoin	9.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	10.00	Emollient - Dispersing Agent
Silica	2.00	Lipophilic Gelling Agent
Tocopherol, Helianthus Annus Seed Oil	0.20	Antioxidant
Phase B₃		
CI 15850	20.00	Pigment
Phase C		
Aroma	0.50	Parfum

Reference: 34HSL001



PolyAqual™ OS2

W/O Emulsifier

Pigment dispersing agent



innollient™ LO

Dermo-emollient

Pigment dispersing agent



High % of pigments



10% Water phase




Silicone-free

Cherry Chocolate

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	9.00	
Pentylene Glycol, Glyceryl Caprylate, Glyceryl Undecylenate	1.60	Natural Alternative Preservative
Phase A₂		
Sodium Hyaluronate	0.20	Active Ingredient
Phase B₁		
Synthetic Wax, Copernicia Cerifera (Carnauba) Cera	12.50	Consistency Agent
Phase B₂		
Polyglyceryl-2 Oleate, Polyhydroxystearic Acid, Polyglyceryl-2 Stearate - PolyAqual™-OS2	16.00	Emulsifier - Dispersing Agent
Paraffinum Liquidum	10.00	Emollient
Ethylhexyl Palmitate	9.00	Emollient
Triheptanoin	9.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	10.00	Emollient - Dispersing Agent
Silica	2.00	Lipophilic Gelling Agent
Tocopherol, Helianthus Annus Seed Oil	0.20	Antioxidant
Phase B₃		
CI 15850	20.00	Pigment
Phase C		
Aroma	0.50	Parfum

Reference: 34HSL001



Key Features:

Water based Lipstick with **PolyAqual™-OS2** and **innollient™ LO** that ensure a fine color dispersion and a creamy texture with velvet effect.

PolyAqual™-OS2, in this lipstick, allows to introduce a portion of water in a formulation that is typically anhydrous. It has a great moisturizing capacity thanks to the presence of 10% water phase and a hydrophilic active ingredient.

SILICONE FREE

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Grapefruit Jam

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
CI 14720 (0.5% water solution)	0.10	Dye
CI 47005 (0.1% water solution)	0.09	Dye
Magnesium Sulfate	1.00	Stabilizing Agent
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Preservative	a.n.	Preservative
Phase A₂		
Glycerin	70.00	Humectant
Phase B		
Polyglyceryl-4 Oleate, Polyglyceryl-6 Oleate, Polyhydroxystearic Acid - PolyAqual™-VO4	3.00	Emulsifier
Coco-Caprylate	6.85	Emollient
Magnesium Stearate	0.15	Lipophilic Gelling Agent
Phase C		
Parfum - Grapefruit & Sugar CANE M0062290 (MANE)	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 94, 10 rpm	70000 - 90000 cP	



Instructions:

1. Prepare phase A₁ and phase B separately and stir them at room temperature;
2. Add phase A₂ to phase A₁ under agitation;
3. Add phase A₁+A₂ to phase B under agitation;
4. Homogenize for a few minutes;
5. Add phase C and continue to homogenize.

PolyAqual™ VO4

Notes:

Translucid texture featured by long-lasting effect.

Ideal for protecting the skin from dryness, leaving it nourished.

Grapefruit Jam

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
CI 14720 (0.5% water solution)	0.10	Dye
CI 47005 (0.1% water solution)	0.09	Dye
Magnesium Sulfate	1.00	Stabilizing Agent
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Preservative	a.n.	Preservative
Phase A₂		
Glycerin	70.00	Humectant
Phase B		
Polyglyceryl-4 Oleate, Polyglyceryl-6 Oleate, Polyhydroxystearic Acid - PolyAqual™-VO4	3.00	Emulsifier
Coco-Caprylate	6.85	Emollient
Magnesium Stearate	0.15	Lipophilic Gelling Agent
Phase C		
Parfum - Grapefruit & Sugar CANE M0062290 (MANE)	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 94, 10 rpm	70000 - 90000 cP	



PolyAqual™ VO4
W/O Emulsifier



Translucid appearance

Long-lasting experience



Hydrophilic internal phase 90%



25°C
Cold-process



**Silicone-free
Green Formulation**

Grapefruit Jam

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
CI 14720 (0.5% water solution)	0.10	Dye
CI 47005 (0.1% water solution)	0.09	Dye
Magnesium Sulfate	1.00	Stabilizing Agent
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Preservative	a.n.	Preservative
Phase A₂		
Glycerin	70.00	Humectant
Phase B		
Polyglyceryl-4 Oleate, Polyglyceryl-6 Oleate, Polyhydroxystearic Acid - PolyAqual™-VO4	3.00	Emulsifier
Coco-Caprylate	6.85	Emollient
Magnesium Stearate	0.15	Lipophilic Gelling Agent
Phase C		
Parfum - Grapefruit & Sugar CANE M0062290 (MANE)	a.n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 94, 10 rpm	70000 - 90000 cP	



Key Features:

W/O emulsion with very high content in hydrophilic phase (90%) thanks to **PolyAqual™-VO4**.

It has a semitransparent appearance, that differs from the common W/O formulations.

SEMITRANSSPARENT APPEARANCE

GREEN FORMULATION

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Crème Fraîche

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	10.00	Humectant
Magnesium Sulfate	1.00	Stabilizing Agent
Glycerin, Water, Phaseolus Radiatus Meristem Cell Culture Extract - Plant C-Stem™ Vigna Radiata	3.00	Active Ingredient
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Preservative	a. n.	Preservative
Phase B₁		
Polyglyceryl-4 Oleate, Polyglyceryl-6 Oleate, Polyhydroxystearic Acid - PolyAqual™-VO4	5.00	Emulsifier - Dispersing Agent
Sesamum Indicum (Sesame) Seed Oil	2.00	Emollient
Caprylic/Capryc Triglyceride	12.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	4.00	Emollient - Dispersing Agent
Dicaprylyl Ether	5.00	Emollient
Dicaprylyl Carbonate	3.90	Emollient
Magnesium Stearate	1.00	Lipophilic Gelling Agent
Phase B₂		
Titanium Dioxide, Alumina, Stearic Acid	5.00	Inorganic UV Filter
Zinc Oxide	10.00	Inorganic UV Filter
Phase C		
Parfum	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 92, 10 rpm	20000 - 30000 cP	

Reference: FD 24-02-06F



Instructions:

1. Prepare phase A and phase B₁ separately at room temperature;
2. When all the components of phase B₁ are well dispersed, add the ingredients of phase B₂ and stir for a few minutes;
3. Add phase A to phase B₁+B₂ under agitation and homogenize for a few minutes;
4. Add phase C under gentle stirring.

Notes:

PolyAqual™ VO4

*Rich texture that spreads easily on the skin.
Thanks to its long-lasting effect, it is ideal for nourishing and protecting the skin from solar radiation.*

In vivo SPF 50 UVA

Crème Fraîche

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	10.00	Humectant
Magnesium Sulfate	1.00	Stabilizing Agent
Glycerin, Water, Phaseolus Radiatus Meristem Cell Culture Extract - Plant C-Stem™ Vigna Radiata	3.00	Active Ingredient
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Preservative	a. n.	Preservative
Phase B₁		
Polyglyceryl-4 Oleate, Polyglyceryl-6 Oleate, Polyhydroxystearic Acid - PolyAqual™-VO4	5.00	Emulsifier - Dispersing Agent
Sesamum Indicum (Sesame) Seed Oil	2.00	Emollient
Caprylic/Capryc Triglyceride	12.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	4.00	Emollient - Dispersing Agent
Dicaprylyl Ether	5.00	Emollient
Dicaprylyl Carbonate	3.90	Emollient
Magnesium Stearate	1.00	Lipophilic Gelling Agent
Phase B₂		
Titanium Dioxide, Alumina, Stearic Acid	5.00	Inorganic UV Filter
Zinc Oxide	10.00	Inorganic UV Filter
Phase C		
Parfum	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 92, 10 rpm	20000 - 30000 cP	

Reference: FD 24-02-06F



PolyAqual™ VO4
W/O Emulsifier
Pigment dispersing agent



innollient™ LO
Dermo-emollient
Pigment dispersing agent



Plant C-Stem™ Vigna radiata
Photo-aging protection



In vivo SPF 50
100% Inorganic UV filters



25°C
Cold-process




Silicone-free
Green Formulation

Crème Fraîche

Ingredients:

INCI NAME	%	Function
Phase A		
Water (Aqua)	up to 100.00	
Glycerin	10.00	Humectant
Magnesium Sulfate	1.00	Stabilizing Agent
Glycerin, Water, Phaseolus Radiatus Meristem Cell Culture Extract - Plant C-Stem™ Vigna Radiata	3.00	Active Ingredient
Tetrasodium Glutamate Diacetate	0.05	Chelating Agent
Preservative	a. n.	Preservative
Phase B₁		
Polyglyceryl-4 Oleate, Polyglyceryl-6 Oleate, Polyhydroxystearic Acid - PolyAqual™-VO4	5.00	Emulsifier - Dispersing Agent
Sesamum Indicum (Sesame) Seed Oil	2.00	Emollient
Caprylic/Capryc Triglyceride	12.00	Emollient
Octyldodecyl Oleate, Octyldodecyl Stearoyl Stearate, Polyhydroxystearic Acid, Octyldodecanol - innollient™ LO	4.00	Emollient - Dispersing Agent
Dicaprylyl Ether	5.00	Emollient
Dicaprylyl Carbonate	3.90	Emollient
Magnesium Stearate	1.00	Lipophilic Gelling Agent
Phase B₂		
Titanium Dioxide, Alumina, Stearic Acid	5.00	Inorganic UV Filter
Zinc Oxide	10.00	Inorganic UV Filter
Phase C		
Parfum	a. n.	Parfum
VISCOSITY after 24h Brk, RVDV-I Prime, Sp 92, 10 rpm	20000 - 30000 cP	

Reference: FD 24-02-06F



Key Features:

Natural sunscreen, created by **PolyAqual™-VO4**, with inorganic UV filters, Zinc Oxide and Titanium Dioxide (15% of powder).

The dispersion of the mineral UV filters is driven by **PolyAqual™-VO4** and **innollient™ LO**.

The presence of the active ingredient **Plant C-Stem™ Vigna Radiata** helps to protect the skin from solar damages (UV, Blue light and IR radiations).

In vivo SPF 50 

COLD PROCESS

GREEN FORMULATION

[watch the video](#)

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Green Tea

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Sodium Hyaluronate	1.50	Active Ingredient
Phase A₂		
Glycerin	3.00	Humectant
Propylene Glycol	2.00	Humectant
CI 42051 (0.1% water solution)	0.02	Dye
CI 47005 (0.1% water solution)	0.05	Dye
Phase A3		
Propanediol, Hydroxyacetophenone ,Caprylyl Glycol	2.00	Preservative
Phase A4		
Propanediol, Psidium Guajava Leaf Extract ,Saccharomyces Lysate Extract - Biooptimized™ Guava	0.50	Active Ingredient
Glycerin, Water, Camellia Sinensis Callus Extract - Plant C-Stem™ Green Tea	0.50	Active Ingredient
Phase B		
Polyglyceryl-6 Laurate, Polyglyceryl-10 Laurate - Solence™-TL	0.60.	Solubilizer
Parfum – Healthy Freshness	0.20	Parfum
VISCOSITY 24h Brk, RVDV-I Prime, Sp 05, 20 rpm pH (100%)	10000-15000 cP 5.0 – 7.0	

Reference: FD 29 02 02 N1A



Instructions:

1. Disperse Sodium Hyaluronate in cold water, using the homogenizer with a high speed.
2. Prepare phase A2, add to phase A1, and homogenize for a few minutes.
3. Add ingredients of phase A3 and A4, to phase A1+A2, one at a time, under slow agitation.
4. Prepare phase B, by solubilizing the parfum in Solence™ TL.
5. Add phase B in phase A (A1+A2+A3+A4), under slow agitation.

Solence™ TL

Notes:

Clear hydrophilic lightweight serum, infused with a delicate fragrance. Ideal anti-aging formula for the face and eye contour area.

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.

Green Tea

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Sodium Hyaluronate	1.50	Active Ingredient
Phase A₂		
Glycerin	3.00	Humectant
Propylene Glycol	2.00	Humectant
CI 42051 (0.1% water solution)	0.02	Dye
CI 47005 (0.1% water solution)	0.05	Dye
Phase A3		
Propanediol, Hydroxyacetophenone ,Caprylyl Glycol	2.00	Preservative
Phase A4		
Propanediol, Psidium Guajava Leaf Extract ,Saccharomyces Lysate Extract - Biooptimized™ Guava	0.50	Active Ingredient
Glycerin, Water, Camellia Sinensis Callus Extract - Plant C-Stem™ Green Tea	0.50	Active Ingredient
Phase B		
Polyglyceryl-6 Laurate, Polyglyceryl-10 Laurate - Solence™-TL	0.60.	Solubilizer
Parfum – Healthy Freshness	0.20	Parfum
VISCOSITY 24h Brk, RVDV-I Prime, Sp 05, 20 rpm pH (100%)	10000-15000 cP 5.0 – 7.0	

Reference: FD 29 02 02 N1A



**Biooptimized™
Guava**
Inflamm-aging protection



**Plant C-Stem™
Green Tea**
Anti aging effect



Solence™ TL
Natural solubilizer



**Transparent
Anti-aging Serum**



25°C
Cold-process



**Silicone-free
Green Formulation**

Green Tea

Ingredients:

INCI NAME	%	Function
Phase A₁		
Water (Aqua)	up to 100.00	
Sodium Hyaluronate	1.50	Active Ingredient
Phase A₂		
Glycerin	3.00	Humectant
Propylene Glycol	2.00	Humectant
CI 42051 (0.1% water solution)	0.02	Dye
CI 47005 (0.1% water solution)	0.05	Dye
Phase A3		
Propanediol, Hydroxyacetophenone ,Caprylyl Glycol	2.00	Preservative
Phase A4		
Propanediol, Psidium Guajava Leaf Extract ,Saccharomyces Lysate Extract - Biooptimized™ Guava	0.50	Active Ingredient
Glycerin, Water, Camellia Sinensis Callus Extract - Plant C-Stem™ Green Tea	0.50	Active Ingredient
Phase B		
Polyglyceryl-6 Laurate, Polyglyceryl-10 Laurate - Solence™-TL	0.60.	Solubilizer
Parfum – Healthy Freshness	0.20	Parfum
VISCOSITY 24h Brk, RVDV-I Prime, Sp 05, 20 rpm pH (100%)	10000-15000 cP 5.0 – 7.0	



Key Features:

Transparent anti-aging serum with **Solence™ TL** that solubilizes the parfum (ratio Solence™ TL:parfum 3:1).

Plant C-Stem™ Green Tea has an anti-aging activity.

Biooptimized™ Guava is used to offer protection against inflamm-aging and for anti-aging boosting effect.

The mentioned formulation has been developed in order to give general directions for the employment of our ingredients. The information set forth here in is furnished free of charge in based on technical data we believe to be reliable. We make no warranties and assume no liability in connection with any use of this information.